Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (currently amended) A compound of formula (I)



(I)

wherein:

R^1 is a group selected from hydrogen, a C_1-C_6-alkyl group optionally substituted by one or more halogen atoms, -SO_2H, -SO_2-C_1-C_6-alkyl, -SO-C_1-C_6-alkyl, -CO-C_1-C_6-alkyl, [[-O,]]phenyl-C_1-C_4-alkyl, -C_1-C_4-alkyl-NR^6R^7, and -C_1-C_4-alkyl-O-C_1-C_4-alkyl, and C_3-C_6-cycloalkyl,

R^2 and R^3, which are identical or different, are each a group selected from hydrogen, a C_1-C_6-alkyl group optionally substituted by one or more halogen atoms, halogen, -NO_2, -SO_2H, -SO_2-C_1-C_6-alkyl, -SO-C_1-C_6-alkyl, -CO-C_1-C_6-alkyl, -OH, -O-C_1-C_6-alkyl, -S-C_1-C_6-alkyl, -C_1-C_4-alkyl-NR^6R^7, and -C_1-C_4-alkyl-O-C_1-C_4-alkyl, and C_3-C_6-cycloalkyl, or

R^1 and R^2 together are a C_4-C_6-alkylene bridge;

R^6 and R^7, which are identical or different, are each hydrogen, C_1-C_4-alkyl, or -CO-C_1-C_4-alkyl;

R^4, each of which are identical or different, are each a group selected from a C_1-C_6-alkyl group optionally substituted by one or more halogen atoms, phenyl-C_1-C_4-alkyl,

halogen, -CN, -NO_2, -SO_2H, -SO_3H, -SO_2-C_1-C_6-alkyl, -SO-C_1-C_6-alkyl, -SO_2-NR^6R^7, -COOH, -CO-C_1-C_6-alkyl, -O-CO-C_1-C_4-alkyl, -CO-O-C_1-C_4-alkyl, -O-CO-O-C_1-C_4-alkyl, -CO-NR^6R^7, -OH, -O-C_1-C_6-alkyl, -S-C_1-C_6-alkyl, -NR^6R^7 and an aryl group optionally mono or polysubstituted by halogen atoms, -NO_2, -SO_2H, or C_1-C_4-alkyl;

R^5, each of which are identical or different, are each a group selected from a C_1-C_6-alkyl group optionally substituted by one or more halogen atoms, phenyl-C_1-C_4-alkyl, halogen, -CN, -NO_2, -SO_2H, -SO_3H, -SO_2-C_1-C_6-alkyl, -SO-C_1-C_6-alkyl, -SO_2-NR^6R^7, -COOH, -CO-C_1-C_6-alkyl, -O-CO-C_1-C_4-alkyl, -CO-O-C_1-C_4-alkyl, -O-CO-O-C_1-C_4-alkyl, -CO-NR^6R^7, -OH, -O-C_1-C_6-alkyl, -S-C_1-C_6-alkyl, -NR^6R^7, and an aryl group optionally mono or polysubstituted by halogen atoms, -NO_2, -SO_2H, or C_1-C_4-alkyl; and

n and m, which are identical or different, are each 0, 1, 2, or 3,

with the proviso that naphtho[1,8-de]-2,3-dihydro-1,1-dioxide-1,2-thiazine is excluded,

or an enantiomer or diastereomer thereof, or a pharmacologically acceptable salt thereof.

2. (currently amended) The compound of formula (I) according to claim 1, wherein:

R^1 is a group selected from hydrogen, a C_1-C_6-alkyl group optionally substituted by one or more halogen atoms, -SO_2H, -SO_2-C_1-C_6-alkyl, -SO-C_1-C_6-alkyl, -CO-C_1-C_6-alkyl, [[-O,]]-C_1-C_4-alkyl-NR^7R^8, and -C_1-C_4-alkyl-O-C_1-C_4-alkyl, benzyl,

R^2 and R^3, which are identical or different, are each a group selected from hydrogen, a C_1-C_6-alkyl group optionally substituted by one or more halogen atoms, halogen, -NO_2, -SO_2H, -SO_2-C_1-C_6-alkyl, -SO-C_1-C_6-alkyl, -CO-C_1-C_6-alkyl, -OH, -O-C_1-C_6-alkyl, -S-C_1-C_6-alkyl, -C_1-C_4-alkyl-NR^6R^7, and -C_1-C_4-alkyl-O-C_1-C_4-alkyl, or

R^1 and R^2 together are a C_4-C_6-alkylene bridge;

R^6 and R^7, which are identical or different, are each hydrogen, C_1-C_4-alkyl, or -CO-C_1-C_2-alkyl, and

R^4, which are identical or different, are each a group selected from a C_1-C_6-alkyl group optionally substituted by one or more halogen atoms, halogen, -CN, $-NO_2$, $-SO_2H$, $-SO_3H$, -COOH, -CO-C_1-C_6-alkyl, -O-CO-C_1-C_4-alkyl, -CO-O-C_1-C_4-alkyl, -O-CO-O-C_1-C_4-alkyl, -CO-NR^6R^7, -OH, -O-C_1-C_6-alkyl, -S-C_1-C_6-alkyl, and $-NR^6R^7$;

R^5, which are identical or different, are each a group selected from a C_1-C_6-alkyl group optionally substituted by one or more halogen atoms, halogen, -CN, $-NO_2$, $-SO_2H$, $-SO_3H$, -COOH, -CO-C_1-C_6-alkyl, -O-CO-C_1-C_4-alkyl, -CO-O-C_1-C_4-alkyl, -O-CO-O-C_1-C_4-alkyl, -CO-NR^6R^7, -OH, -O-C_1-C_6-alkyl, -S-C_1-C_6-alkyl, and $-NR^6R^7$; and

n and m, which are identical or different, are each 0, 1, or 2,

or an enantiomer or diastereomer thereof, or a pharmacologically acceptable salt thereof.

3. (original) The compound of formula (I) according to claim 1, wherein:

R^1 is hydrogen, C_1-C_4-alkyl, or benzyl,

R^2 and R^3, which are identical or different, are each hydrogen or C_1-C_4-alkyl, or

R^1 and R^2 together are a butylene bridge;

R^4, which are identical or different, are each a group selected from a C_1-C_6-alkyl group optionally substituted by one or more halogen atoms, halogen, -CN, $-NO_2$, -COOH, -CO-C_1-C_6-alkyl, -O-CO-C_1-C_4-alkyl, -CO-O-C_1-C_4-alkyl, -O-CO-O-C_1-C_4-alkyl, -CO-NR^6R^7, -OH, -O-C_1-C_6-alkyl, -S-C_1-C_6-alkyl, and $-NR^6R^7$;

R^5, which are identical or different, are each a group selected from a C_1-C_6-alkyl group optionally substituted by one or more halogen atoms, halogen, -CN, -NO_2, -COOH, -CO-C_1-C_6-alkyl, -O-CO-C_1-C_4-alkyl, -CO-O-C_1-C_4-alkyl, -O-CO-O-C_1-C_4-alkyl, -CO-NR^6R^7, -OH, -O-C_1-C_6-alkyl, -S-C_1-C_6-alkyl, and -NR^6R^7; and

n and m, which are identical or different, are each 0, 1, or 2,

or an enantiomer or diastereomer thereof, or a pharmacologically acceptable salt thereof.

4. (original) The compound of formula (I) according to claim 1, wherein:

R^1, R^2, R^3, which are identical or different, are each hydrogen or C_1-C_4-alkyl;

R^4, which are identical or different, are each a group selected from a C_1-C_6-alkyl group optionally substituted by one or more halogen atoms, halogen, -NO_2, -O-CO-C_1-C_4-alkyl, -O-CO-O-C_1-C_4-alkyl, -O-C_1-C_6-alkyl, and -NR^6R^7;

R^5, which are identical or different, are each a group selected from a C_1-C_6-alkyl group optionally substituted by one or more halogen atoms, halogen, -NO_2, -O-CO-C_1-C_4-alkyl, -O-CO-O-C_1-C_4-alkyl, -O-C_1-C_6-alkyl, and -NR^6R^7; and

n and m, which are identical or different, are each 0, 1, or 2,

or an enantiomer or diastereomer thereof, or a pharmacologically acceptable salt thereof.

5. (original) The compound of formula (I) according to claim 1, wherein:

R^1 is methyl, ethyl, isopropyl, *n*-butyl, or benzyl,

or an enantiomer or diastereomer thereof, or a pharmacologically acceptable salt thereof.

6. (original) The compound of formula (I) according to claim 1, wherein:

R^1 is methyl,

or a pharmacologically acceptable salt thereof.

7. (original) The compound of formula (I) according to claim 1, wherein:

R^1 is methyl;

R^2 and R^3 are each hydrogen;

R^4 and R^5, which are identical or different, are each halogen; and

n and m, which are identical or different, are each 0, 1, or 2,

or a pharmacologically acceptable salt thereof.

8. (canceled)